

WELCOME TO KOLLER WHIRL SYSTEMS!



SPA POOLS by KOLLER

Enjoy your own **outdoor whirlpool** for **pure relaxation**, giving you the chance to experience the benefits of this pool at home—**available all year-round**. In any weather, you can quickly leave the stress of daily life behind and **treat yourself and your family** to wellness.

A PLACE for shared RELAXATION and COMMUNICATION.

All SPA pools featured in this brochure are exclusively for **private use** and are not intended for public or commercial use.



After a long day at work, a **SPA POOL from KOLLER** provides the best way to relax at home, whether in your own garden or on your private terrace.

Thanks to our long-standing experience as a manufacturer of whirlpool components, we prioritize **QUALITY** and **SERVICE**. **Made in AUSTRIA**. We have the right pool for your needs - whether it's indoors, on a terrace, or in your garden.

SPA Pools by KOLLER offer the soothing pleasure of a massage. With built-in jets, you can target each part of the body individually to relieve muscle cramps. Enjoy the interplay of water and/or air massage jets.

You can set the perfect temperature yourself - a **LED lighting** system with color change or single colors creates a special ambiance. In your own wellness oasis, you escape the stress and hustle of everyday life. It's good for the body, mind, and soul.

In today's fast-paced world, time often dictates our pace, but in the **SPA POOL**, you, the customer, decide how long to enjoy the experience. Relax from everyday life, loosen muscles, reduce stress, unwind after sports, color light therapy - to harmonize body and soul.

The **SPA POOL models from KOLLER** offer back, neck, shoulder, leg, and foot massage jets depending on the configuration.

Koller Milk System - a true fountain of youth for your skin and much more that you can enjoy with a **SPA POOL from KOLLER**.



THE BENEFITS OF OUR SPAS

- **ALL OUR SPA POOLS** are built according to the requirements of the European standard **EN 17125**.
- HIGH-QUALITY COMPONENTS AND TECHNOLOGY -Produced and installed by a leading manufacturer of whirlpool technology.
- **GUARANTEED SERVICE PERFORMANCE** Within Austria, we offer reliable service for our POOLS.
- WINTER-PROOF Thanks to the specially designed residual water draining, possible water damage can be averted during winterization.
- "POOLMASTER" SPA CONTROL made easy through a water-resistant touch screen.
- > STARTER SET BROMINE Serves for water treatment.
- PANELING If this option is chosen, it includes a fold-down lid: Thermally insulated bottom with a closed plastic base plate - this protects the technology from moisture. Easy to assemble, allowing the pool to not sit directly on the ground, and the electrical wiring to be easily laid under the bottom. Note: The mains connection may only be carried out by a qualified electrician and must be permanently wired into the house installation.
- **EASY FILLING AND DRAINING** Filling is possible through a garden hose. For draining, a **1" connection** is provided.
- > THERMAL COVER Available in different colors.
- **ADDITIONAL INSULATION OF THE SIDE PANELING** Available as an option.
- > STEPS IN THE SELECTED PANELING COLOR Available as an option.
- **SPARE PART SUPPLY** The components used come from our own production and are thus available over the years.









EQUIPMENT

Advanced Nozzle Technology from Koller

All nozzles used in our jets are internally threaded and the covers are made of colored-through plastic material, making them highly resistant to scratches and the effects of UV radiation. Nozzle sets of the same size can be exchanged using special keys.



Super Jet Small



Super Jet Small rotating



Mini Jet



Mini Jet rotating



Future Jet



Air Jet

Super Jet Small

Powerful water jet stream that can add air via an Air controller. The nozzle is adjustable and interchangeable via ball joints.

Super Jet Small rotating

Rotating water massage jet that disperses water over a wide area, providing a gentle but intense massage. This nozzle is individually adjustable through ball joints.

Mini Jet

Vitalizing pinpoint water massage stream, which can also add air via an air controller. The nozzle is individually adjustable via ball joints.

Mini Jet rotating

Gently rotating water massage jet that hits the body over a wide surface area, offering a pleasant yet intense massage experience. The nozzle is adjustable via ball joints.

Future Jet

The nozzle indulges with seven different pleasant water massage streams.

Air Jet

The air generated by the blower creates an invigorating bubble jet. This nozzle can be controlled via the control unit (Poolmaster).




The Material

Our high-quality outdoor SPAs are made of sanitary acrylic with fiberglass reinforcement. Sanitary acrylic is extremely stable and easy to clean, and the surface can be treated with common, mild household cleaners.

For additional heat insulation, the SPA pool is reinforced with PU foam – this insulation ensures the water stays warm longer.







LED RGB color light system - LED effect light chain

With the LED effect light string, you can wonderfully disconnect from the daily grind. As you relax in your SPA, a color light therapy unfolds its positive effects on your body, mind, and soul optimally. This unique lighting experience can be controlled and also halted via the control unit (Poolmaster).

If you wish to immerse your pool in a single color, you can choose from 7 basic colors: white, dark blue, blue, green, yellow, red, and violet.

The large number of small RGB light points distributed over the tub results in an expansive distribution of light.



Mini LED RGB spa lights

The LED RGB spa lights create a wonderful, relaxed ambiance. They produce gently changing colors, as well as a calm, low-stimulation atmosphere. This unique lighting experience can be controlled and also stopped via the control unit (Poolmaster).

If you wish to bathe your pool in a single color, you can choose from 7 fundamental colors: white, dark blue, blue, green, yellow, red, and violet.

The LED RGB spa lights are not installed in all models and work in parallel with the LED effect light chain. For information on where and how many are installed, please refer to the "Technical Data."

MODEL OVERVIEW

Our high-quality OUTDOOR SPAs are available in eight versions – from 2-seater to 4-seater models.

POSEIDON 2 12

2000 x 1350 x 850 mm

32 JETS ()∈





Power connection: 230 volts

There is no power connection on this model necessary

DREAM BAY 2 12

2000 x 1350 x 850 mm









POSEIDON 3 †3

2000 x 1600 x 920 mm

36 JETS ()∈





DREAM BAY 3 13

2000 x 1600 x 920 mm









POSEIDON 4 †4

2100 x 1900 x 970 mm





DREAM BAY 4 †4

2100 x 1900 x 970 mm





All the SPA tubs pictured here are shown with standard equipment.

Symbol explanation:



Water Jets



Air Jets

TECHNICAL DATA

POSEIDON 2







Please note that all technical specifications are provided without options. SPA tub shown is seen in the standard equipment.

DESCRIPTION	EQUIPMENT	
Article number	OUT-POSI-21 White marble	
People	2	
Recliners	2	
Seats	-	
Dimensions SPA tub	2000 x 1350 x 850 mm	
Total dimension with cover	2050 x 1400 mm	
Super Jet Small	6	
Super Jet Small Rotating	6	
Mini Jet	4	
Mini Jet Rotating	4	
Future Jet	12	
Air jets	-	
Inlet nozzles	2	
Fountain	-	
Suction fittings	3	
Air controller	2	
Jet pump	2200 Watt	
Filter pump	200 Watt	
Air blower	-	
Heater	3000 Watt	
LED RGB color light system	2 SPOTs with 1.5 watts each	
Control unit	Poolmaster	
Filter	Cartridge filter	
Skimmer	Floating skimmer	
Residual water drainage	Yes	
Drainage connection	1" external thread	
Headrest	2	
Electrical connection	230V AC 50Hz 1x16A	
Water volume	670 liters	
Maximum water depth	55 - 60 cm	
Weight (empty)	ca. 235 kg	
Total weight (tub with water)	905 kg	

DESCRIPTION	EQUIPMENT
Article number	OUT-DBAY-21 White marble
People	2
Recliners	2
Seats	-
Dimensions SPA tub	2000 x 1350 x 850 mm
Total dimension with cover	2050 x 1400 mm
Super Jet Small	6
Super Jet Small Rotating	6
Mini Jet	4
Mini Jet Rotating	4
Future Jet	12
Air jets	16
Inlet nozzles	2
Fountain	-
Suction fittings	3
Air controller	2
Jet pump	2200 Watt
Filter pump	200 Watt
Air blower	1050 Watt
Heater	3000 Watt
LED RGB color light system	24 light points with 0.25 watts each
Control unit	Poolmaster
Filter	Cartridge filter
Skimmer	Floating skimmer
Residual water drainage	Yes
Drainage connection	1" external thread
Headrest	2
Electrical connection	230V AC 50Hz 1x16A
Water volume	670 liters
Maximum water depth	55 - 60 cm
Weight (empty)	ca. 240 kg
Total weight (tub with water)	910 kg

DREAM BAY 2









Please note that all technical specifications are provided without options. SPA tub shown is seen in the standard equipment.

TECHNICAL DATA

POSEIDON 3







Please note that all technical specifications are provided without options. SPA tub shown is seen in the standard equipment.

DESCRIPTION	EQUIPMENT	
Article number	OUT-POSI-31 White marble	
People	3	
Recliners	2	
Seats	1	
Dimensions SPA tub	2000 x 1600 x 920 mm	
Total dimension with cover	2050 x 1650 mm	
Super Jet Small	12	
Super Jet Small Rotating	2	
Mini Jet	6	
Mini Jet Rotating	2	
Future Jet	14	
Air jets	-	
Inlet nozzles	2	
Fountain	-	
Suction fittings	3	
Air controller	3	
Jet pump	2200 Watt	
Filter pump	200 Watt	
Air blower	-	
Heater	3000 Watt	
LED RGB color light system	2 SPOTs with 1.5 watts each	
Control unit	Poolmaster	
Filter	Cartridge filter	
Skimmer	Floating skimmer	
Residual water drainage	Yes	
Drainage connection	1" external thread	
Headrest	2	
Electrical connection	400V AC 50Hz 3x16A	
Water volume	900 liters	
Maximum water depth	60 - 65 cm	
Weight (empty)	ca. 265 kg	
Total weight (tub with water)	1165 kg	

DESCRIPTION	EQUIPMENT
Article number	OUT-DBAY-31 White marble
People	3
Recliners	2
Seats	1
Dimensions SPA tub	2000 x 1600 x 920 mm
Total dimension with cover	2050 x 1650 mm
Super Jet Small	12
Super Jet Small Rotating	2
Mini Jet	6
Mini Jet Rotating	2
Future Jet	14
Air jets	16
Inlet nozzles	2
Fountain	-
Suction fittings	3
Air controller	3
Jet pump	2200 Watt
Filter pump	200 Watt
Air blower	1050 Watt
Heater	3000 Watt
LED RGB color light system	24 light points with 0.25 watts each
Control unit	Poolmaster
Filter	Cartridge filter
Skimmer	Floating skimmer
Residual water drainage	Yes
Drainage connection	1" external thread
Headrest	2
Electrical connection	400V AC 50Hz 3x16A
Water volume	900 liters
Maximum water depth	60 - 65 cm
Weight (empty)	ca. 270 kg
Total weight (tub with water)	1170 kg

DREAM BAY 3









Please note that all technical specifications are provided without options. SPA tub shown is seen in the standard equipment.

TECHNICAL DATA

POSEIDON 4







Please note that all technical specifications are provided without options. SPA tub shown is seen in the standard equipment.

DESCRIPTION	EQUIPMENT	
Article number	OUT-POSI-41 White marble	
People	4	
Recliners	2	
Seats	2	
Dimensions SPA tub	2100 x 1900 x 970 mm	
Total dimension with cover	2150 x 1950 mm	
Super Jet Small	12	
Super Jet Small Rotating	4	
Mini Jet	10	
Mini Jet Rotating	6	
Future Jet	20	
Air jets	-	
Inlet nozzles	2	
Fountain	-	
Suction fittings	5	
Air controller	4	
Jet pump	2 x 2200 Watt	
Filter pump	200 Watt	
Fountain pump	-	
Air blower	-	
Heater	3000 Watt	
LED RGB color light system	4 SPOTs with 1.5 watts each	
Control unit	Poolmaster	
Filter	Cartridge filter	
Skimmer	Floating skimmer	
Residual water drainage	Yes	
Drainage connection	1" external thread	
Headrest	4	
Electrical connection	400V AC 50Hz 3x16A	
Water volume	1270 liters	
Maximum water depth	65 - 70 cm	
Weight (empty)	ca. 350 kg	
Total weight (tub with water)	1620 kg	

DESCRIPTION	EQUIPMENT	
Article number	OUT-DBAY-41 White marble	
People	4	
Recliners	2	
Seats	2	
Dimensions SPA tub	2100 x 1900 x 970 mm	
Total dimension with cover	2150 x 1950 mm	
Super Jet Small	12	
Super Jet Small Rotating	4	
Mini Jet	10	
Mini Jet Rotating	6	
Future Jet	20	
Air jets	10	
Inlet nozzles	2	
Fountain	Yes	
Suction fittings	6	
Air controller	4	
Jet pump	2 x 2200 Watt	
Filter pump	200 Watt	
Fountain pump	800 Watt	
Air blower	1050 Watt	
Heater	3000 Watt	
LED RGB color light system	2 SPOTs with 1.5 watts each, 24 light points with 0.25 watts each	
Control unit	Poolmaster	
Filter	Cartridge filter	
Skimmer	Floating skimmer	
Residual water drainage	Yes	
Drainage connection	1" external thread	
Headrest	4	
Electrical connection	400V AC 50Hz 3x16A	
Water volume	1270 liters	
Maximum water depth	65 - 70 cm	
Weight (empty)	ca. 355 kg	
Total weight (tub with water)	1625 kg	

DREAM BAY 4









Please note that all technical specifications are provided without options. SPA tub shown is seen in the standard equipment.

EQUIPMENT OVERVIEWS

POSEIDON 2









Skimmer



Control panel




Heating **Draining**



Circulation pump

P1

SPA Pump 1



- 0 **Super Jet Small**
- 0 **Super Jet Small Rotating**
- Mini Jet
- Mini Jet Rotating
- **Future Jet (•**)
- Inflow nozzles
- Vaccum fittings PZ
- Vaccum fittings P1
- Air controller
- -0 Mini RGB LED spa light

DREAM BAY 2



48 JETS









Skimmer



Control panel



Heating



Air blower




Draining



Circulation pump



SPA Pump 1



- **Super Jet Small O**
- 0 **Super Jet Small Rotating**
- Mini Jet
- **Mini Jet Rotating**
- **Future Jet** 0
- Air jets
- **(•)** Inflow nozzles
- **Vaccum fittings PZ**
- Vaccum fittings P1
- Air controller
- **:**(**RGB** light points



POSEIDON 3






- **□** Poolmaster
- (Skim)

Skimmer

- ST
- **Control panel**
- Н
- Heating **Draining**
- E PZ
- **Circulation pump**
- P1
- **SPA Pump 1**



- 0 **Super Jet Small** Rotating
- Mini Jet
- Mini Jet Rotating
- **Future Jet** 0
- Inflow nozzles
- Vaccum fittings PZ
- 0 Vaccum fittings P1
- Air controller
- -0 Mini RGB LED spa light

DREAM BAY 3



52 JETS






Poolmaster



Skimmer

- ST
- **Control panel**
- Н
- Heating Air blower
- G Е
 - **Draining**
- PZ
- **Circulation pump**
- P1)
 - **SPA Pump 1**



- Mini Jet
- Mini Jet Rotating
- **Future Jet** 0
- Air jets
- Inflow nozzles
- Vaccum fittings PZ
- 0 Vaccum fittings P1
- Air controller
- 3 **RGB light points**



EQUIPMENT OVERVIEWS

POSEIDON 4



52 JETS







Skimmer



Control panel



Heating Draining




Circulation pump



SPA Pump 1



SPA Pump 2



- Super Jet Small
- Super Jet Small Rotating
- Mini Jet
- Mini Jet Rotating
- Future Jet
- Inflow nozzles
- > IIIIIOW IIOZZIES
- Vaccum fittings PZ
- Vaccum fittings P1
- Vaccum fittings P2
- Air controller
- Mini RGB LED spa light

DREAM BAY 4



JETS







Skimmer



Control panel



Heating Air blower



Draining




PF Jet pump - Fountain

PZ

Circulation pump
SPA Pump 1

P1 P2

SPA Pump 2



- Super Jet Small
- Super Jet Small Rotating
- Mini Jet
- Mini Jet Rotating
- Future Jet
- Air jets
- Inflow nozzles
- Secondary
 Fountain
- Vaccum fittings PF
- Vaccum fittings PZ
- Vaccum fittings P1
- Vaccum fittings P2
- Air controller
- Mini RGB LED spa light
- RGB light points



OPTIONAL EXTRAS



KOLLER Milk System

When the Milk System is active for approximately 20 to 30 seconds, you can observe at the Milk inlet jets how the bath water becomes enriched with countless microscopic air bubbles, giving the water a milky appearance – hence the name Milk. The diffusion throughout the tub is particularly striking due to the white hue.

These microscopic bubbles gently caress your body, ensuring that your skin receives a high level of oxygen and promoting the regeneration of skin cells.

Oxygen: the source of life, even for your skin.
Oxygen is essential for our skin and its daily regeneration. Without sufficient oxygen, the skin can quickly appear tired and dull.

Order No.	suitable for
OUT-ZBMS-20	Posidon2 , Dream Bay2
OUT-ZBMS-30	Posidon3 , Dream Bay3
OUT-ZBMS-40	Posidon4 , Dream Bay4



Example: Dream Bay 4 Neck Jets

Neck Jets

For the models Poseidon 3 and Dream Bay 3, the seat comes with 3 neck jets. In the models Poseidon 4 and Dream Bay 4, the seat includes 4 neck jets beside the surface skimmer.

The size and number of neck jets are fixed for these models and cannot be changed.

Order No.	suitable for
OUT-ZBNJET-30	Posidon3 , Dream Bay3
OUT-ZBNJET-40	Posidon4 , Dream Bay4



OPTIONAL EXTRAS



Additional Air Jets (2 Blowers)

Since the "Dream Bay 4" model does not include air jets on the second lounger, you can order these as an optional extra. The arrangement of the air jets will be as shown in the photo.

Order No.	suitable for
OUT-ZBGRB2-40	Dream Bay4



Additional Insulation

The extra insulation, handcrafted for your tub, positively affects energy consumption. With it, nothing stands in the way of energy-saving bubbling.

Order No.	suitable for
OUT-ZBISO-21	Posidon2 , Dream Bay2
OUT-ZBISO-31	Posidon3 , Dream Bay3
OUT-ZBISO-41	Posidon4 , Dream Bay4

EXCLUSIVE EXTERIOR PANELLING







Oak



Clay Grey



Anthracite

Exclusive Exterior Panelling

Thickness 6 mm

Our UV-resistant and weatherproof panelling is of very high quality and extremely decorative.

They demonstrate high mechanical and physical resistance, making them resistant to moisture, dampness, and frost.

Order No.	suitable for	Color
OUT-ZBVERK-61-2	Poseidon 2, Dream Bay 2	Dark Wood
OUT-ZBVERK-62-2	Poseidon 2, Dream Bay 2	Oak
OUT-ZBVERK-63-2	Poseidon 2, Dream Bay 2	Clay Grey
OUT-ZBVERK-64-2	Poseidon 2, Dream Bay 2	Anthracite
OUT-ZBVERK-61-3	Poseidon 3, Dream Bay 3	Dark Wood
OUT-ZBVERK-62-3	Poseidon 3, Dream Bay 3	Oak
OUT-ZBVERK-63-3	Poseidon 3, Dream Bay 3	Clay Grey
OUT-ZBVERK-64-3	Poseidon 3, Dream Bay 3	Anthracite
OUT-ZBVERK-61-4	Poseidon 4, Dream Bay 4	Dark Wood
OUT-ZBVERK-62-4	Poseidon 4, Dream Bay 4	Oak
OUT-ZBVERK-63-4	Poseidon 4, Dream Bay 4	Clay Grey
OUT-ZBVERK-64-4	Poseidon 4, Dream Bay 4	Anthracite

COVER



Thermal Cover

Our high-quality thermal cover provides excellent top insulation and protects your Outdoor SPA from contamination. Heat loss over the water surface is kept extremely low.

Please note that the thermal cover is not a surface for placing objects or lying on, as the highly insulating foam core would break. Handle loops make it easier to handle the cover. The cover can also be secured with fastening straps.

The counterparts (closures) for the fastening straps are not installed and are left to the customer. The closures are supplied loose with screws.

Order No.	suitable for	Color
OUT-ZBABD-71-2	Poseidon 2, Dream Bay 2	Brown
OUT-ZBABD-72-2	Poseidon 2, Dream Bay 2	Black
OUT-ZBABD-73-2	Poseidon 2, Dream Bay 2	Grey
OUT-ZBABD-71-3	Poseidon 3, Dream Bay 3	Brown
OUT-ZBABD-72-3	Poseidon 3, Dream Bay 3	Black
OUT-ZBABD-73-3	Poseidon 3, Dream Bay 3	Grey
OUT-ZBABD-71-4	Poseidon 4, Dream Bay 4	Braun
OUT-ZBABD-72-4	Poseidon 4, Dream Bay 4	Black
OUT-ZBABD-73-4	Poseidon 4, Dream Bay 4	Grey



Lock

If the OUT SPA is accessible to toddlers indoors or outdoors, these locks must be installed and locked when the OUT SPA is not in use.

Available Colors:

Tub



White marble

Cover



Brown



Black



Grey



CONNECTION POINT DRAINING



The connection point is a 1" external thread.







Example: Tap Connection

With a tap connection, you can attach any standard garden hose.

STEPS



Steps

The steps, matching the POOL's exterior panelling, are also produced by us. They are made with non-slip planks for treading. Due to the high weight of the steps, slipping is not possible.

The wide step allows for easy entry and exit.

Color see Exterior Paneling.

Order No.	Color
OUT-ZBSTIE-61	Dark Wood
OUT-ZBSTIE-62	OAK
OUT-ZBSTIE-63	Clay Gray
OUT-ZBSTIE-64	Anthracite

SINCE 1978 QUALITY FROM OUR OWN PRODUCTION





The company Koller, founded and based in Austria, has a long history dating back to 1978, marked by innovation. As a customer, rely on high-quality components that we develop and produce ourselves. In the production of our Outdoor

SPAs, we largely use products from our own production.

This in turn gives you, the customer, the certainty of trusting the right manufacturer who also offers competent "After Sales" service.





ONLINE







RUDOLF KOLLER Ges.m.b.H.

A-1210 VIENNA

Brünner Straße 313-315 Tel.: +43/1/604 43 33 office.vienna.at@rkoller.com



A-3902 VITIS

Rudolf-Koller-Straße 1 Tel.: +43/2841/8207 office.vitis.at@rkoller.com



RUDOLF KOLLER spol.s r.o.

CZ-37701 JINDRICHUV HRADEC

Dolni Pena 201 Tel.: +420/384/370 410 office.jhradec.cz@rkoller.com

