

STAINLESS STEEL AND PVC CATALOGUE

More than Just Components



DISCOVER OUR SELECTION OF HIGH-QUALITY
PARTS MADE FROM V4A STAINLESS STEEL AND PVC
THROUGH-COLORED FOR WHIRLPOOL TUBS AND SPA WHIRLPOOLS.

whirl.rkoller.com

KOLLER **WHIRL-
SYSTEMS**

Stainless Steel and Plastic Light Grey


The Austrian company Koller has a long-standing history of innovation since its founding in 1978. As our customer, you can rely on high-quality components that we develop and produce ourselves.

Both SPA whirlpools and whirlpool tubs offer a relaxing and refreshing experience, but there are some differences between the two.


A SPA whirlpool is typically larger than a whirlpool tub and can accommodate several people. It is also equipped with features such as massage jets, light therapy, and automatic water temperature control to provide a comprehensive wellness experience. A SPA whirlpool is usually installed outdoors and the water is not changed after every use.

On the other hand, a whirlpool tub is typically much smaller than a SPA whirlpool and can accommodate only one person. It is usually equipped with water and air jets, and may also include features such as RGB lights and disinfection. A whirlpool tub is usually installed in a bathroom or wellness area in the home, and the tub is filled and emptied before and after each use.

In summary, SPA whirlpools are designed for a comprehensive wellness experience for multiple people, while whirlpool tubs are intended for relaxation and massage for one person. However, both offer an excellent way to relieve stress and relax.



Vacuum fitting - structure




The suitable fittings for the pipe work are found in the chapter „Fitting“. See main catalogue in the respective chapter for standard components.



Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
 Technical specifications and printing errors are subject to change without prior notification. EN25 © Copyright reserved.

VACUUM FITTING	Order No.
 <p>Safety cover ST4FG-0072-2</p> <p>material: stainless steel (V4A) outside Ø: 96 mm height: 10 mm mounting method: screw (thread M8) weight: 41 g</p> <p>suitable for: vacuum connection part: P-5013</p> <p>A screwdriver is required for installation!</p>	ST4FG-0072-2
 <p>Safety cover P-HG-5031-2</p> <p>material: plastic PVC outside Ø: 90 mm height: 10 mm mounting method: screw (thread M8) weight: 19 g</p> <p>suitable for: vacuum connection part: P-5013</p> <p>A screwdriver is required for installation!</p>	P-HG-5031-2

Drain and overflow set series P-10XX - structure




See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.



Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
Technical specifications and printing errors are subject to change without prior notification. EN25 © Copyright reserved.


Drain and overflow set series R-00XX - structure



See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.

Drain and overflow set series P-20XX - structure




See main catalogue in the respective chapter for standard components.


* Exclusively intended for use in whirlpool tubs.




DRAIN AND OVERFLOW	Order No.
 <p>Turning handle ST4FG-180-7 material: stainless steel (V4A) cover Ø: 70 mm height: 23 mm mounting method: screw on (set screw M6x12 mm) weight: 206 g</p> <p>suitable for: star wheel: P-C-0088-6 ring and screw for filling: ST4FG-0078-2</p> <p>Exclusively intended for use in whirlpool tubs.</p>	ST4FG-180-7
 <p>Ring and screw for filling ST4FG-0078-2 material: stainless steel (V4A) / plastic cover Ø: 82 mm height: 22 mm key: P-0188-20 weight: 260 g</p> <p>consists of: 1 pc. ring with sealing cord (ST4FG-0078-2-1) 1 pc. screw (P-0089-7-K)</p> <p>suitable for: drain and overflow base body: P-0078F-B, P-0088F-B</p>	ST4FG-0078-2
 <p>Cover with lever ST4FG-0089-100 material: stainless steel (V4A) cover: 70 x 91 mm height: 32 mm weight: 410 g</p> <p>consists of: 1 pc. lever (ST4FG-0089-20) 1 pc. cover (ST4FG-0089-19)</p> <p>suitable for: hollow bolt with multitooth axis: P-0089-33</p>	ST4FG-0089-100
 <p>Stopper ST4FG-0078-6 material: stainless steel (V4A) outside Ø: 43 mm weight: 110 g</p> <p>suitable for: valve face long: ST4FG-0078-5</p> <p>Exclusively intended for use in whirlpool tubs.</p>	ST4FG-0078-6
 <p>Valve face long ST4FG-0078-5 material: stainless steel (V4A) outside Ø: 65 mm thread length: 24 mm key: P-0188-20 P-0148 weight: 115 g</p> <p>suitable for: drain and overflow base body: P-1078-B, P-1088-B, P-0078F-B, P-0088F-B, P-2078F-B, P-2088F-B, R-0078-BVD, R-0088-BVD, R-0078F-BVD, R-0088F-BVD</p> <p>Exclusively intended for use in whirlpool tubs.</p>	ST4FG-0078-5

DRAIN AND OVERFLOW	Order No.
<div data-bbox="188 219 507 524"></div> <div data-bbox="555 203 775 228">Cover ST4FG-0075-13</div> <div data-bbox="555 237 1066 338"><p>material: stainless steel (V4A) / plastic / brass cover Ø: 90 mm mounting method: click on weight: 128 g</p></div> <div data-bbox="555 360 833 412"><p>inclusive: brass stopper with sealing ring</p></div> <div data-bbox="555 434 919 486"><p>suitable for: sieve: P-W-0075-1, C-0078-10, C-0078-11</p></div> <div data-bbox="555 524 968 548"><p>Exclusively intended for use in whirlpool tubs.</p></div>	ST4FG-0075-13



DISINFECTION	Order No.
<div data-bbox="134 271 352 472">  </div> <div data-bbox="450 203 823 228"> <p>Cover ST4FG-212D-1 for disinfection</p> </div> <div data-bbox="450 237 614 313"> <p>material: brass cover Ø: 36 mm weight: 80 g</p> </div>	<p>ST4FG-212D-1</p>

Micro jet Flatline - structure




The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“. See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.




Micro jet - structure



The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“.
See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.

Midi jet Flatline - structure




The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“.
See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.



Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
Technical specifications and printing errors are subject to change without
prior notification. EN25 © Copyright reserved.

Mini jet - structure



The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“.
See main catalogue in the respective chapter for standard components.

Water jet Flatline - structure 1


Nano Jet***ST4FG-0764-1****P-0764-08
P-0764-08-L**

The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“.
See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.




Water jet Flatline - structure 2



The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“. See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.


Future Midi - structure



The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“. See main catalogue in the respective chapter for standard components.



Super jet small Flatline - structure



The suitable fittings for the pipe work are found in the chapter „Fitting”.
See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.

Super jet small - structure

Super Jet Small



P-HG-6551



P-HG-0505-6



P-HG-0504-30



P-HG-0504-39



P-0504-51-L



P-0504-51



P-0504-51-R





The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“.
See main catalogue in the respective chapter for standard components.



JET		Order No.								
	<p>Flatline micro inner part ST4FG-M00130-21</p> <p>1 hole (no ball necessary)</p> <p>material: stainless steel (V4A) key: P-M00130-50 weight: 19 g</p> <p>suitable for: Flatline micro jet body: ST4FG-M00130-10</p>	ST4FG-M00130-21								
	<p>Flatline Micro inner part ST4FG-M00130-22</p> <p>material: stainless steel (V4A) / plastic key: P-M00130-52 weight: 11 g</p> <p>consists of: inner part ring: ST4FG-M00130-24-1 plastic ring: P-1005-23</p> <p>suitable for: Flatline micro jet body: ST4FG-M00130-10</p>	ST4FG-M00130-22								
	<p>Micro ball STF4G-1005-22</p> <p>material: stainless steel (V4A) weight: 4 g</p> <p>suitable for: Flatline micro inner part: ST4FG-M00130-22</p>	ST4FG-1005-22								
	<p>Flatline Micro click in jet body series ST4FG-00130-11</p> <p>material: stainless steel (V4A) outside Ø: 28 mm drill Ø: 24 mm key: N-0145</p> <table><tr><th>wall thickness</th><th>overall length</th><th>jet insert</th><th>weight</th></tr><tr><td>6 - 11 mm</td><td>45 mm</td><td>P-1005-14-1</td><td>45 g</td></tr></table> <p>inclusive: o-ring (10,78 x 2,62 mm)</p> <p>suitable for: micro jet: P-0006, P-0006-L, P-0006-R, P-0006-6, P-0007, P-0007-L, P-0007-R, P-0007-2-L, P-0007-2-R, P-0007-3-L, P-0007-3-R</p>	wall thickness	overall length	jet insert	weight	6 - 11 mm	45 mm	P-1005-14-1	45 g	ST4FG-M00130-11
wall thickness	overall length	jet insert	weight							
6 - 11 mm	45 mm	P-1005-14-1	45 g							
	<p>Flatline micro jet body series ST4FG-M00130-XX</p> <p>material: stainless steel (V4A) outside Ø: 28 mm drill Ø: 24 mm key: N-0145</p> <table><tr><th>wall thickness</th><th>overall length</th><th>jet insert</th><th>weight</th></tr><tr><td>6 - 11 mm</td><td>45 mm</td><td>P-1005-14-1</td><td>50 g</td></tr></table> <p>inclusive: o-ring (10,78 x 2,62 mm)</p> <p>suitable for: micro jet: P-0006, P-0006-L, P-0006-R, P-0006-6, P-0007, P-0007-L, P-0007-R, P-0007-2-L, P-0007-2-R, P-0007-3-L, P-0007-3-R</p>	wall thickness	overall length	jet insert	weight	6 - 11 mm	45 mm	P-1005-14-1	50 g	ST4FG-M00130-10
wall thickness	overall length	jet insert	weight							
6 - 11 mm	45 mm	P-1005-14-1	50 g							

JET		Order No.								
	<p>Micro cover ST4FG-1005-2</p> <p>material: stainless steel (V4A) cover Ø: 35 mm key: P-0143-11 weight: 23 g</p> <p>consists of: cover: ST4FG-1005-20 ball: ST4FG-1005-22 plastic ring: P-1005-23</p> <p>suitable for: jet body: series 1005, 2601212</p>	ST4FG-1005-2								
	<p>Flatline midi inner part ring ST4FG-M00112-20</p> <p>material: stainless steel (V4A) key: P-M00112-50 weight: 23 g</p> <p>suitable for: Flatline midi jet body: ST4FG-M00112-10</p>	ST4FG-M00112-20								
	<p>Flatline midi click in jet body ST4FG-M00111-10</p> <p>material: stainless steel (V4A) outside Ø: 50 mm drill Ø: 41 mm key: P-M00111-50</p> <table><tr><th>wall thickness</th><th>overall length</th><th>thread length</th><th>weight</th></tr><tr><td>3,5 - 10 mm</td><td>23 mm</td><td>22 mm</td><td>67 g</td></tr></table> <p>suitable for: midi jet: P-0016, P-0016-L, P-0016-R, P-0016-A, P-0016-2-L, P-0016-2-R, P-0016-3-L, P-0016-3-R, P-0216, P-0017, P-0017-L, P-0017-R, P-0017-A, P-0017-2-L, P-0017-2-R, P-0017-3-L, P-0017-3-R, P-0017-4-L, P-0017-4-R, P-0017-6, P-0017-7 mini jet: P-0012, P-0013, P-0011 midi clip jet: P-1017, P-1017-L, P-1017-R, P-1117 cartridge jet: P-11208-L, P-11208-R, P-11608-L, P-11608-R, P-11212-1-L, P-11212-1-R, P-23212</p>	wall thickness	overall length	thread length	weight	3,5 - 10 mm	23 mm	22 mm	67 g	ST4FG-M00111-10
wall thickness	overall length	thread length	weight							
3,5 - 10 mm	23 mm	22 mm	67 g							
	<p>Flatline midi jet body series ST4FG-M00112-XX</p> <p>with drain of the remaining water</p> <p>material: stainless steel (V4A) outside Ø: 50 mm drill Ø: 41 mm key: P-0143-10</p> <table><tr><th>wall thickness</th><th>overall length</th><th>thread length</th><th>weight</th></tr><tr><td>3,5 - 10 mm</td><td>21.5 mm</td><td>20 mm</td><td>78 g</td></tr></table> <p>suitable for: midi jet: P-0016, P-0016-L, P-0016-R, P-0016-A, P-0016-2-L, P-0016-2-R, P-0016-3-L, P-0016-3-R, P-0216, P-0017, P-0017-L, P-0017-R, P-0017-A, P-0017-2-L, P-0017-2-R, P-0017-3-L, P-0017-3-R, P-0017-4-L, P-0017-4-R, P-0017-6, P-0017-7 mini jet: P-0012, P-0013, P-0011 midi clip jet: P-1017, P-1017-L, P-1017-R, P-1117 cartridge jet: P-11208-L, P-11208-R, P-11608-L, P-11608-R, P-11212-1-L, P-11212-1-R, P-23212 swivel jet: P-0021 two way valve: P-73032-9, P-73132-9 multi way valve: P-73232-9 future jet: P-0025, P-0025-08</p>	wall thickness	overall length	thread length	weight	3,5 - 10 mm	21.5 mm	20 mm	78 g	ST4FG-M00112-10
wall thickness	overall length	thread length	weight							
3,5 - 10 mm	21.5 mm	20 mm	78 g							




JET	Order No.
 <p>Mini cover P-HG-0030-10-10 material: plastic PVC cover Ø: 64 mm key: P-0143-11 weight: 10 g</p> <p>suitable for: jet body: P-0164-13, N-0164-13, series 0164-X</p>	P-HG-0030-10-10
 <p>Mini cover ST4FG-0036-10 material: stainless steel (V4A) cover Ø: 62 mm key: P-0143-11 weight: 41 g</p> <p>suitable for: jet body: P-0164-13, Serie 0164-X</p>	ST4FG-0036-10
 <p>Ball P-HG-0030-11 material: plastic PVC weight: 7 g</p> <p>suitable plastic ring: P-0030-12</p>	P-HG-0030-11
 <p>Ball rotating P-HG-0037-13 material: plastic PVC weight: 9 g</p> <p>suitable plastic ring: P-0030-12</p>	P-HG-0037-13
 <p>Ball ST4FG-0161 material: stainless steel (V4A) weight: 48 g</p> <p>suitable plastic ring: P-0030-12</p>	ST4FG-0161

JET		Order No.								
	<p>Nano jet series ST4FG-0764-X</p> <p>material: stainless steel (V4A) outside Ø: 9 mm thread: M6 outside thread drill Ø: 6 mm wrench size: 2.5 mm hexagonal (hex key)</p> <table><tr><th>wall thickness</th><th>overall length</th><th>thread length</th><th>weight</th></tr><tr><td>2,5 - 11 mm</td><td>19 mm</td><td>18 mm</td><td>3 g</td></tr></table> <p>suitable for: connection part: P-0764-08, P-0764-08-L</p>	wall thickness	overall length	thread length	weight	2,5 - 11 mm	19 mm	18 mm	3 g	ST4FG-0764-1
wall thickness	overall length	thread length	weight							
2,5 - 11 mm	19 mm	18 mm	3 g							
	<p>Flatline inner part ST4FG-M00191-20</p> <p>material: stainless steel (V4A) water or air outlet: 5 hole wrench size: 2.5 mm hexagonal (hex key) weight: 11 g</p> <p>inclusive: o-ring (12,1 x 1,6 mm)</p> <p>suitable for: Flatline multi jet body: ST4FG-M00172-10</p>	ST4FG-M00191-20								
	<p>Flatline multi jet body series ST4FG-M00172-XX</p> <p>material: stainless steel (V4A) outside Ø: 27 mm thread: 1/2" outside thread drill Ø: 22 mm key: N-0144</p> <table><tr><th>wall thickness</th><th>overall length</th><th>thread length</th><th>weight</th></tr><tr><td>3 - 11 mm</td><td>23 mm</td><td>22 mm</td><td>22 g</td></tr></table> <p>suitable for: elbow 90°: P-90204-K, P-90204-L tee: P-90203-K, P-90203-L, P-90206-K, P-90206-L, P-90216-K, P-90216-L double elbow 90°: P-90207-K, P-90207-L connection part 90° with cartridge: P-90308-1K, P-90310-1K tee connection part with cartridge: P-90308-2K, P-90310-2K elbow connection part with cartridge: P-90310-5K 3-fold connection part with cartridge: P-90310-3K</p>	wall thickness	overall length	thread length	weight	3 - 11 mm	23 mm	22 mm	22 g	ST4FG-M00172-10
wall thickness	overall length	thread length	weight							
3 - 11 mm	23 mm	22 mm	22 g							
	<p>Future cover mini P-HG-0032</p> <p>material: plastic PVC outlet for water: 7 hole cover Ø: 64 mm key: P-0143-11 weight: 17 g</p> <p>suitable for: jet body: P-0164-13, N-0164-13</p>	P-HG-0032								



JET	Order No.
 <p>Flatline super jet small jet body ST4FG-M00230-10</p> <p>material: stainless steel (V4A) outside Ø: 70 mm drill Ø: 57 mm key: P-M00230-50</p> <p> wall thickness 2 - 12 mm overall length 23 mm thread length 21 mm weight 125 g </p> <p>suitable for: super jet small: P-0504-51, P-0504-51-L, P-0504-51-R, P-0504-53</p>	ST4FG-M00230-10
 <p>Super jet small cover P-HG-6551</p> <p>material: plastic PVC cover Ø: 83 mm weight: 20 g</p> <p>suitable for: super jet small jet body: P-0505-6</p>	P-HG-6551
 <p>Super jet small jet body P-HG-0505-6</p> <p>material: plastic PVC outside Ø: 74 mm drill Ø: 57 mm wall thickness: 3 - 11 mm overall length: 29.5 mm thread length: 23.5 mm key: P-0506-20 weight: 32 g</p> <p>suitable for: super jet small: series 0504-51, 0504-53</p>	P-HG-0505-6
 <p>Jet insert P-HG-0504-30</p> <p>water flow lockable</p> <p>material: plastic PVC weight: 27 g</p> <p>consists of: supporting ring: P-HG-0504-3 ball: P-HG-0504-300 plastic ring: P-0504-7</p> <p>suitable for: super jet small: series 0504-51 super jet: 0504-50</p>	P-HG-0504-30
 <p>Jet insert P-HG-0504-39</p> <p>rotating</p> <p>material: plastic PVC weight: 27 g</p> <p>consists of: supporting ring: P-HG-0504-3 ball: P-HG-0504-390 plastic ring: P-0504-7</p> <p>suitable for: super jet small: series 0504-51 super jet: 0504-50</p>	P-HG-0504-39

Air jet Micro Multi Flatline - structure




The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“. See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.



Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
Technical specifications and printing errors are subject to change without prior notification. EN25 © Copyright reserved.


Air jet - caps Ø 30 mm - structure



The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“. See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.

Air jet - caps Ø 30 mm - structure




The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“.
See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.



Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
Technical specifications and printing errors are subject to change without
prior notification. EN25 © Copyright reserved.

Air jet Micro Small Multi Jet Flatline - structure



The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“. See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.

Air jet - cap Ø 12 mm - structure



The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“. See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.



AIR JET		Order No.								
	<p>Flatline inner part ST4FG-M00191-20</p> <p>material: stainless steel (V4A) water or air outlet: 5 hole wrench size: 2.5 mm hexagonal (hex key) weight: 11 g</p> <p>inclusive: o-ring (12,1 x 1,6 mm)</p> <p>suitable for: Flatline multi jet body: ST4FG-M00172-10</p>	ST4FG-M00191-20								
	<p>Flatline multi jet body series ST4FG-M00172-XX</p> <p>material: stainless steel (V4A) outside Ø: 27 mm thread: 1/2" outside thread drill Ø: 22 mm key: N-0144</p> <table><tr><th>wall thickness</th><th>overall length</th><th>thread length</th><th>weight</th></tr><tr><td>3 - 11 mm</td><td>23 mm</td><td>22 mm</td><td>22 g</td></tr></table> <p>suitable for: elbow 90°: P-90204-K, P-90204-L tee: P-90203-K, P-90203-L, P-90206-K, P-90206-L, P-90216-K, P-90216-L double elbow 90°: P-90207-K, P-90207-L connection part 90° with cartridge: P-90308-1K, P-90310-1K tee connection part with cartridge: P-90308-2K, P-90310-2K elbow connection part with cartridge: P-90310-5K 3-fold connection part with cartridge: P-90310-3K</p>	wall thickness	overall length	thread length	weight	3 - 11 mm	23 mm	22 mm	22 g	ST4FG-M00172-10
wall thickness	overall length	thread length	weight							
3 - 11 mm	23 mm	22 mm	22 g							
	<p>Flatline inner part ST4FG-M00172-20</p> <p>material: stainless steel (V4A) outlet for air: gap between body and inner part key: P-M00130-50 weight: 11 g</p> <p>inclusive: o-ring (12,1 x 1,6 mm)</p> <p>suitable for: Flatline multi jet body: ST4FG-M00172-10</p>	ST4FG-M00172-20								
	<p>Air jet cap P-HG-0137</p> <p>material: plastic PVC cover Ø: 30 mm outlet for air: 5 hole key: P-0143-11 weight: 4 g</p> <p>suitable for: air jet body: series P-0139-XX, X-0131-XX</p>	P-HG-0137								

AIR JET		Order No.										
	<p>Air jet cap ST4FG-0132</p> <p>material: stainless steel (V4A) cover Ø: 30 mm outlet for air: 9 hole key: P-0143-11 weight: 19 g</p> <p>suitable for: air jet body: series P-0139-XX, X-0131-XX</p>	ST4FG-0132										
	<p>Air jet cap ST4FG-0138-03</p> <p>material: stainless steel (V4A) cover Ø: 27 mm outlet for air: below the cover weight: 17 g</p> <p>suitable for: air jet body: series SR-0138-XX</p>	ST4FG-0138-03										
	<p>Air jet body with check valve series SR4-0138-XX</p> <p>material: stainless steel (V4A) / plastic / brass drill Ø: 16 mm wrench size: 13 mm</p> <table><tr><th>wall thickness</th><th>overall length</th><th>thread length</th><th>plug-in connection Ø</th><th>weight</th></tr><tr><td>2 - 23 mm</td><td>60 mm</td><td>33 mm</td><td>8 mm</td><td>49 g</td></tr></table> <p>consists of: body nut with integrated washer (M16) flat packing (24x16x2 mm) o-ring (16x2 mm) ball (PA 8 mm)</p>	wall thickness	overall length	thread length	plug-in connection Ø	weight	2 - 23 mm	60 mm	33 mm	8 mm	49 g	SR4-0138-8
wall thickness	overall length	thread length	plug-in connection Ø	weight								
2 - 23 mm	60 mm	33 mm	8 mm	49 g								
	<p>Flatline air jet inner part ST4FG-M00171-20</p> <p>material: stainless steel (V4A) key: P-M00172-50 weight: 3 g</p> <p>suitable for: Flatline air jet body: ST4FG-M00171-10</p>	ST4FG-M00171-20										
	<p>Flatline air jet body series ST4FG-M00171-XX</p> <p>material: stainless steel (V4A) outside Ø: 18 mm thread: M12 outside thread drill Ø: 12 mm key: WZ-1007-20</p> <table><tr><th>wall thickness</th><th>overall length</th><th>thread length</th><th>weight</th></tr><tr><td>2 - 9 mm</td><td>19.5 mm</td><td>18 mm</td><td>8 g</td></tr></table> <p>suitable for: connection part: P-0146-08 tee connection part: P-0147-08</p>	wall thickness	overall length	thread length	weight	2 - 9 mm	19.5 mm	18 mm	8 g	ST4FG-M00171-10		
wall thickness	overall length	thread length	weight									
2 - 9 mm	19.5 mm	18 mm	8 g									

AIR JET	Order No.
<div data-bbox="189 338 296 405">  </div> <div data-bbox="451 203 759 230"> <p>Whisper jet cover ST4FG-0760</p> </div> <div data-bbox="451 235 766 313"> <p>material: stainless steel (V4A) outlet for air: 1 hole weight: 2 g</p> </div> <div data-bbox="451 340 829 394"> <p>suitable for: whisper jet body: series 076X-04, 0763-XX</p> </div> <div data-bbox="451 443 866 470"> <p>Exclusively intended for use in whirlpool tubs.</p> </div>	<p>ST4FG-0760</p>

Air controller - Cover Ø 52 mm - structure




See main catalogue in the respective chapter for standard components.



Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
Technical specifications and printing errors are subject to change without
prior notification. EN25 © Copyright reserved.

Air controller Cover Ø 36 mm - structure




The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“.
See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.

AIR CONTROLLER	Order No.
 <p>Air controller cover P-HG-0049-3-4 material: plastic PVC cover Ø: 52 mm weight: 12 g</p> <p>suitable for: air controller lower part: P-0049-BVD, P-1049-BVD turbo air controller lower part: P-0049-10-BVD</p>	P-HG-0049-3-4
 <p>Air controller cover ST4FG-0056-2 material: stainless steel (V4A) air suction: above the tub cover Ø: 36 mm key: N-0146 weight: 71 g</p> <p>inclusive: o-ring (19 x3,5 mm)</p> <p>suitable for: air jet body: series R-0130-XX</p> <p>Exclusively intended for use in whirlpool tubs.</p>	ST4FG-0056-2



Magic jet Flatline - structure




Please replace the X by the desired color code shown on the inside front cover legend!
The suitable fittings and distributors for the pipe work are found in the chapter „Fitting“.
See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.

MAGIC JET					Order No.	
	Flatline magic jet body series ST4FG-M00150-XX					
	material: stainless steel (V4A)					
	outside Ø: 28 mm					
	drill Ø: 24 mm					
	key: N-0145					
	wall thickness	overall length	jet insert	weight		
	6 - 11 mm	45 mm	P-0242-2-30	50 g	ST4FG-M00150-10	
	inclusive:					
	o-ring (10,78 x 2,62 mm)					
	suitable for:					
	magic jet:		P-0024-2, P-0024			
	magic jet with cartridge:		P-0027-08, P-0026-3			
	Exclusively intended for use in whirlpool tubs.					

Electronic button Ø 40 mm Flatline - structure



Order example:

- 1 x Button ring: ST4FG-M00351-10
- 1 x spacer washer: P-M00304-1
- 1 x Electronic button: 2N
- 1 x Button body: P-325

please specify as follows:

$$\boxed{\text{P-325}} + \boxed{2\text{N}} = \text{P-325}2\text{N}$$



See main catalogue in the respective chapter for standard components.

Electronic button Ø 40 mm - structure



ST4FG-0121-1

Electronic button

1 function



2 functions



3 functions



4 functions



5 functions



P-325XX



P-341XX

Order example:

1 x Button ring: ST4FG-0121-1
 1 x Electronic button: 2N
 1 x Button body: P-325

please specify as follows:

P-325 + 2N = P-3252N




P-3252N
ST4FG-0121-1

See main catalogue in the respective chapter for standard components.




Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
 Technical specifications and printing errors are subject to change without
 prior notification. EN25 © Copyright reserved.

Direct Line push button - structure



See main catalogue in the respective chapter for standard components.

Squareline push button / Blueline capacitive push button - structure



See main catalogue in the respective chapter for standard components.



BUTTON	Order No.
 <p>Flatline button ring ST4FG-M00351-10</p> <p>material: stainless steel (V4A) outside Ø: 53 mm drill Ø: 48 mm weight: 18 g</p> <p>suitable for: electronic temperature indicator: 3701A-S01, 3701B-S01 electronic temperature control device: 3701C-S01 button body: P-325XX, P-341XX, R-346XX</p>	ST4FG-M00351-10
 <p>Button ring ST4FG-0121-1</p> <p>material: stainless steel (V4A) cover Ø: 52 mm height: 5.5 mm weight: 20 g</p>	ST4FG-0121-1
 <p>Squareline cover ST4FG-0129-1</p> <p>material: stainless steel (V4A) length: 74 mm width: 32 mm height: 3.5 mm weight: 16 g</p> <p>suitable for: Direct Line push button (70 x 28 mm) 1 to 5 functions Squareline button (70 x 28 mm) 1 to 4 functions Blueline capacitive push button (70 x 28 mm) 1 to 4 functions</p> <p>ATTENTION! Unsuitable for variant with Side LED!</p>	ST4FG-0129-1

Mini LED/Mini LED RGB spa light - structure



See main catalogue in the respective chapter for standard components.



Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
 Technical specifications and printing errors are subject to change without
 prior notification. EN25 © Copyright reserved.

Power LED spot structure



ST4FG-5201-2



010 5201A

See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.

Double LED Spot - structure




See main catalogue in the respective chapter for standard components.

* Exclusively intended for use in whirlpool tubs.



Stainless Steel and PVC Catalogue for Whirlpool Tubs and SPA Whirlpools
Technical specifications and printing errors are subject to change without
prior notification. EN25 © Copyright reserved.

Effect light chain - structure



See main catalogue in the respective chapter for standard components.

SPA LIGHT	Order No.
 <p>Ring for spa light P-HG-514-2</p> <p>material: plastic PVC cover Ø: 52 mm height: 6 mm mounting method: screw on (M 45x1,5 mm) weight: 7 g</p> <p>suitable for: mini LED spa light: series 5141, 5261 mini RGB LED spa light: series 5161A-SXX, 5162A-SXX, 5261F-SXX double LED spot: 5301A, 5301B, 5311A, 5311B</p>	P-HG-514-2
 <p>Ring for spa light ST4FG-514-2</p> <p>material: stainless steel (V4A) cover Ø: 52 mm height: 6 mm mounting method: screw on (M 45x1,5 mm) weight: 38 g</p> <p>suitable for: mini LED spa light: series 5141, 5261 mini RGB LED spa light: series 5161A-SXX, 5162A-SXX, 5261F-SXX double LED spot: 5301A, 5301B, 5311A, 5311B</p>	ST4FG-514-2
 <p>Ring for spa light ST4FG-5201-2</p> <p>material: stainless steel (V4A) cover Ø: 64 mm height: 8 mm mounting method: screw on (M 60x1,5 mm) weight: 63 g</p> <p>inclusive: teflon disc (57 x 37 x 0,5 mm)</p> <p>suitable for: power LED spot: 5201A</p>	ST4FG-5201-2
 <p>Lens casing ST4FG-5282-10</p> <p>material: stainless steel (V4A) / plastic outside Ø: 27 mm fitting length: 34 mm with chain of effect lights wall thickness: 2,5 - 10 mm drill Ø: 21 mm key: N-5282-20 weight: 26 g</p> <p>consists of: body: ST4FG-5281-4 plastic nut: P-0002-2</p> <p>suitable for: chain of effect lights: 005-5282A-003, 005-5282A-004</p>	ST4FG-5282-10

At your service, worldwide!



You will find all our contact details at whirl.rkoller.com

KOLLER **WHIRL-SYSTEMS**

RUDOLF KOLLER Ges.m.b.H.
A-1210 VIENNA
Brünner Straße 313-315
Tel.: +43/1/604 43 33
office.vienna.at@rkoller.com

A-3902 VITIS
Rudolf-Koller-Straße 1
Tel.: +43/2841/8207
office.vitis.at@rkoller.com



RUDOLF KOLLER spol.s.r.o.
CZ-37701 JINDRICHUV HRADEC
Dolní Pena 201
Tel.: +420/384/370 410
office.jhradec.cz@rkoller.com